

In the Specification:

On page 1, after the title insert the following:

This is a U.S. national stage of application No. PCT/FR2005/000162, filed on 26 January 2005.

FIELD OF THE INVENTION

On page 1, before line 7, insert the following heading:

BACKGROUND OF THE INVENTION

On page 2, before line 1, insert the following heading:

SUMMARY OF THE INVENTION

On page 5, after line 31, insert the following paragraphs:

Another aspect of the invention is a connection server for implementing the above method, characterized in that it includes:

receiver means adapted to receive from a first terminal a call request containing a predetermined (called party) second identifier for the second terminal;

storage means adapted to store the (called party) second identifier in a correspondence table in association with a first number determined from the call request;

receiver means adapted to receive from a call set-up gateway at least the characteristic of an incoming call received by said gateway, the incoming call including a call characteristic for indicating a relationship between the first number and the (service) second number; and

determination means adapted to determine the (called party) second identifier associated in the correspondence table with the first number corresponding to the signaling of the characteristic of the incoming call, in order to signal the incoming call to the second terminal corresponding to the (called party) second identifier determined in this way.

Another aspect of the invention is a call set-up gateway for implementing the above method, characterized in that it includes:

receiver means adapted to receive from a terminal an incoming call to a particular (service) second number, the incoming call including a call characteristic for indicating a relationship between a first number and a (service) second number; and

signaling means adapted to signal at least the characteristic of the received incoming call to a connection server that determines the (called party) second identifier associated in a correspondence table with the first number corresponding to the signaling of the characteristic of the incoming call.

Another aspect of the invention is a second terminal for implementing the above method, characterized in that it includes:

receiver means adapted to receive signaling of an incoming call coming from a first terminal; and

means adapted to set up a multimedia communications channel with a call set-up gateway which then connects the multimedia communications channel to the incoming call.

On page 5, before line 32, insert the following heading:

BRIEF DESCRIPTION OF THE DRAWINGS

On page 6, before line 5, insert the following heading:

DETAILED DESCRIPTION OF THE DRAWINGS